



FEMALE (OUTER)			NOMINAL CLEARANCE		MALE (INNER)	
D	B	T	TOP	SIDE	D	B
mm	mm	mm	mm	mm	mm	mm
<b>SQUARE HOLLOW SECTIONS</b>						
13	13	1.8	NO SECTION AVAILABLE			
15	15	1.8				
25	25	1.6	1.8	1.8	20	20
25	25	2.0	1.0	1.0	20	20
25	25	2.5	0.0	0.0	20	20
25	25	3.0	0.0	0.0	20	20
30	30	1.6	1.8	1.8	25	25
30	30	2.0	1.0	1.0	25	25
35	35	1.6	1.8	1.8	30	30
35	35	2.0	1.4	1.4	30	30
35	35	2.5	0.0	0.0	30	30
35	35	3.0	4.0	4.0	25	25
40	40	1.6	1.8	1.8	35	35
40	40	2.0	1.0	1.8	35	35
40	40	2.5	0.0	0.0	35	35
40	40	4.0	2.0	2.0	30	30
50	50	1.6	6.8	6.8	40	40
50	50	2.0	6.0	6.0	40	40
50	50	2.5	5.0	5.0	40	40
50	50	3.0	4.0	4.0	40	40
50	50	4.0	2.0	2.0	40	40
65	65	2.0	11.0	11.0	50	50
65	65	2.5	10.0	10.0	50	50
65	65	3.0	9.0	9.0	50	50
65	65	4.0	7.0	7.0	50	50
75	75	2.5	5.4	5.4	65	65
75	75	3.0	4.0	4.0	65	65
75	75	4.0	2.0	2.0	65	65
75	75	5.0	0.0	0.0	65	65
100	100	3.0	19.0	19.0	75	75
100	100	4.0	17.0	17.0	75	75
100	100	5.0	15.0	15.0	75	75
100	100	6.0	13.0	13.0	75	75
100	100	9.0	7.0	7.0	75	75
125	125	4.0	17.0	17.0	100	100
125	125	5.0	15.0	15.0	100	100
125	125	6.0	13.0	13.0	100	100
125	125	9.0	7.0	7.0	100	100
150	150	5.0	15.0	15.0	125	125
150	150	6.0	13.0	13.0	125	125
150	150	9.0	7.0	7.0	125	125
200	200	5.0	40.0	40.0	150	150
200	200	6.0	38.0	38.0	150	150
200	200	9.0	32.0	32.0	150	150
250	250	6.0	38.0	38.0	200	200
250	250	9.0	32.0	32.0	200	200

FEMALE (OUTER)			NOMINAL CLEARANCE		MALE (INNER)	
D	B	T	TOP	SIDE	D	B
mm	mm	mm	mm	mm	mm	mm
<b>RECTANGULAR HOLLOW SECTIONS</b>						
50	20	1.6	NO SECTION AVAILABLE			
50	20	2.0				
50	20	2.5				
50	20	3.0				
50	25	1.6	NO SECTION AVAILABLE			
50	25	2.0				
50	25	2.5				
50	25	3.0				
65	35	2.0	11.0	6.0	50	25
65	35	2.5	10.0	5.0	50	25
65	35	3.0	9.0	4.0	50	25
75	25	1.6	21.8	1.8	50	20
75	25	2.0	21.0	1.0	50	20
75	25	2.5	20.0	0.0	50	20
75	50	2.0	6.0	11.0	65	35
75	50	2.5	5.0	10.0	65	35
75	50	3.0	4.0	9.0	65	35
75	50	4.0	2.0	7.0	65	35
100	50	2.0	21.0	21.0	75	25
100	50	2.5	20.0	20.0	75	25
100	50	3.0	19.0	19.0	75	25
100	50	4.0	17.0	17.0	75	25
100	50	5.0	15.0	15.0	75	25
100	50	2.0	31.0	11.0	65	35
100	50	2.5	30.0	10.0	65	35
100	50	3.0	29.0	9.0	65	35
100	50	4.0	27.0	7.0	65	35
100	50	5.0	25.0	5.0	65	35
125	75	3.0	19.0	19.0	100	50
125	75	4.0	17.0	17.0	100	50
125	75	5.0	15.0	15.0	100	50
150	100	4.0	17.0	17.0	125	75
150	100	5.0	15.0	15.0	125	75
150	100	6.0	13.0	13.0	125	75
200	100	4.0	42.0	42.0	150	50
200	100	5.0	40.0	40.0	150	50
200	100	6.0	38.0	38.0	150	50
200	100	9.0	32.0	32.0	150	50
250	150	5.0	40.0	40.0	200	100
250	150	6.0	38.0	38.0	200	100
250	150	9.0	32.0	32.0	200	100